



PLANT PROTECTION AND LANDSCAPE MANAGEMENT. Sprayers. Mist Blowers. Air Blowers. Spreaders.

# Get the results you need, time after time.

After 50 years in the same building, Solo has moved to a larger facility that will accommodate growth in our manufacturing and shipping efforts. Solo's expansion marks a departure from reliance on international partnerships. Solo has invested in two new blow-molding machines and an injection molding machine, which will produce a new series of one-hand and handheld sprayers.

Solo® sprayers are built tough and made to last. That is why they are the first choice of farmers, professional landscapers and do-it-yourselfers everywhere. In fact, Solo has earned global recognition for superior quality spraying equipment since 1948.

If you rely on a tool that contributes to your livelihood, it only makes sense to choose one that will increase your efficiency and productivity. With Solo sprayers, you will appreciate more precise application of product, resulting in less waste and less runoff. Plus, most Solo sprayers are made and assembled in the USA, and triple tested before leaving the factory.

# The distinctive Solo difference — features that deliver outstanding value and efficiency.

Solo sprayers share the features that improve your spraying experience:

- Long-lasting, corrosion-resistant tanks made from UV-resistant, high-density polyethylene (HDPE).
- Easy-to-monitor fill levels with translucent and metered tanks.
- Piston or diaphragm pump system for liquid or wettable powder applications.
- Chemical-resistant seals and gaskets provide extended use with a wide variety of chemicals.
- Outstanding reach and durability with extra-long, nylon-reinforced high-pressure hoses.



Maintain a Beautiful Yard



Eliminate Weeds and Grasses



Grow Flowers, Plants, Fruits and Vegetables



Kill Mold and Algae



Kill Flying and Crawling Bugs



**Control Insects and Pests** 

# **HOME & GARDEN, FARM & LANDSCAPE or PROFESSIONAL**

Whether you are an occasional user, a discerning homeowner, or a lawn care professional, you will find the right product to suit your requirements in one of our three equipment lines. It goes without saying that even our HOME & GARDEN SERIES of sprayers is built with the quality you would expect from all SOLO products. The differences are found in the equipment features and ease of use. For example, all sprayers in the FARM & LANDSCAPE and PRO SERIES come standard with VITON® seals in the key locations for use with harsh chemicals. The PRO SERIES backpack sprayers are especially comfortable to wear, preventing fatigue even after prolonged periods of use. The four battery-powered sprayers, the power sprayer, and the backpack mist blower are not only lightweight but also powerful. Whether battery-powered or motorized, these tools combine high levels of performance and ton quality.










Backpack Sprayers





# SOLO **PROFESSIONAL** SERIES

Chest-mount Spreader Battery-powered Sprayer Battery-powered Sprayer 421-S 416-I 416-I

Battery-powered Sprayer

Sprayer Motor

Motorized Sprayer Backpack Mist Blower Backpack Air Blower 433 466 468

# **Hose-End and One-Hand Sprayers**





Keep your hands chemical-free with the adaptable and adjustable hose-end sprayer.

- Adapts to fit bottles of the most popular brands of chemical concentrates.
- No measuring, pouring or mixing.
- Quick-to-connect hose coupler.
- Tank works as a container, if desired.



SOLO HOME & GARDEN SERIES

- Chemical-resistant seals for use with harsh
- Locking trigger reduces user fatigue.

# 201, 202

• Chemical-resistant seals for use with harsh chemicals.

the same features as our larger, professional sprayers.

at-home spraying both indoors and out, weed control, gardening,

auto and marine, livestock applications and more. All offer many of

- Large pump knob.
- Plastic adjustable nozzle.
- Pressure relief valve.

| Model # | UPC # 720 343 | Capacity | Wand | Pump   | Weight   | Case Size              | Cubic Feet | Case Pack |
|---------|---------------|----------|------|--------|----------|------------------------|------------|-----------|
| 405-HE  | 91192 3       | 32 oz    | N/A  | N/A    | 0.55 lb  | 8.7" x 10.5" x 16.75"  | 0.89       | 6*        |
| 415     | 41500 1       | 1 L      | N/A  | Piston | 0.75 lbs | 12" x 20" x 14.5"      | 2.01       | 12*       |
| 201     | 20100 0       | 1.25 L   | N/A  | Piston | 1.4 lbs  | 12.5" x 30.5" x 13.75" | 3.03       | 8*        |
| 202     | 20200 7       | 2 L      | N/A  | Piston | 1.6 lbs  | 14" x 19.5" x 14.25"   | 2.25       | 6*        |

\* Sold only in case packs



# 201C, 202C, 202CL


- Chemical-resistant seals for use with harsh chemicals.
- Efficient piston pump.
- Plastic adjustable nozzle.

Piston

- Locking trigger for reduced user fatigue.
- Built-in pressure relief valve releases excess
- 7.5" spray wand provides added reach (202CL).

1.6 lbs

 Pivoting universal nozzle enables a wider application range.



14" x 19.5" x 14.25"

solo

2.25

\* Sold only in case packs

201C

202CL

solo

Capacity

1.25 L

2 L

2 L

7.5"

UPC # 720 343

201109

202106

202205

# **One-Hand Sprayers**



Great for gardening, fertilizing, and weed control. Perfect for cleaning and general spraying. Excellent for equine and livestock applications.

# 418, 418-2L, 419, 420

SOLO FARM & LANDSCAPE SERIES

- Chemical-resistant Viton® seals for outstanding resistance to harsh chemicals.
- Multi-directional nozzle.
- Unique drift guard for added control for spot treatment.
- Locking trigger for reduced user fatigue.
- 9.5" stainless steel wand provides added reach (419).
- Telescoping wand adjustable from 12" to 23" for comfortable ground-level spraying without bending over (420).



| Model # | UPC # 720 343 | Capacity | Wand    | Pump   | Weight   | Case Size               | Cubic Feet | Case Pack |
|---------|---------------|----------|---------|--------|----------|-------------------------|------------|-----------|
| 418     | 418101        | 1 L      | 3.5"    | Piston | 1.2 lbs  | 20.75" x 21.5" x 15.75" | 4.07       | 16        |
| 418-2L  | 41802 6       | 2 L      | 3.5"    | Piston | 1.5 lbs  | 23.75" x 20" x 15.25"   | 4.19       | 12        |
| 419     | 41900 9       | 2 L      | 9.5"    | Piston | 1.5 lbs  | 23.75" x 20" x 15.25"   | 4.19       | 12        |
| 420     | 42000 5       | 2 L      | 12"-23" | Piston | 1.55 lbs | 23.75" x 20" x 15.25"   | 4.19       | 12        |

# **Handheld Sprayers**



# 211, 212 Home and Garden Sprayers

A full-featured sprayer in an economical package is perfect for homeowners. Use for general-purpose spraying, gardening applications and pest control. Also works great with water base wood deck cleaners.

- Durable 24" poly wand and shut-off valve assembly.
- 45" PVC hose.
- Easy-to-fill funnel top.
- Plastic adjustable spray nozzle included.
   TeeJet® compatible.
- Large pump handle with a built-in wand retainer.
- Pressure relief valve.



Easy grip shut-off valve reduces fatigue



solo

Pressure relief valve vents excess pressure



solo 212

for easy fill-up

| Model # | UPC # 720 343 | Capacity | Wand | Hose | Pump   | Weight | Carton Size            | Cubic Feet | Pallet Quantity |
|---------|---------------|----------|------|------|--------|--------|------------------------|------------|-----------------|
| 211     | 21100 9       | 1 gal    | 16"  | 45"  | Piston | 3 lbs  | 17.5" x 7.75" x 7.75"  | 0.61       | 150             |
| 212     | 21200 6       | 2 gal    | 16"  | 45"  | Piston | 4 lbs  | 20.75" x 9.25" x 9.25" | 1.03       | 80              |

SOLO FARM & LANDSCAPE SERIES

# **Handheld Sprayers**





Designed for medium-to-large jobs at home, on the farm, or for professional applications. These sprayers offer more features than other brands at competitive prices.

# **430 Series Farm and Landscape Sprayers**

Designed for general purpose spraying at home or on the farm, the 430 series sprayers offer more features than other brands at competitive prices.

- Chemical resistant Viton® seals in key locations withstand harsh chemicals for long service and durability.
- Commercial quality shut-off valve with lock-on/lock-off feature reduces operator fatique.
- Funnel top for easy fill and large secondary opening for easy clean-up.
- Four-nozzle assortment: adjustable, flat fan, jet stream and hollow cone. TeeJet® compatible.
- Unique storage compartment for extra nozzles.
- Adjustable webbed nylon carry strap makes carrying easy.







Adjustable webbed

nylon carry strap

| Model # | UPC # 720 343 | Capacity | Wand | Hose | Pump   | Weight | Carton Size         | Cubic Feet | Pallet Quantity |
|---------|---------------|----------|------|------|--------|--------|---------------------|------------|-----------------|
| 430-1G  | 430103        | 1 gal    | 20"  | 48"  | Piston | 3 lbs  | 22" x 8.5" x 8.5"   | 0.89       | 100             |
| 430-2G  | 432008        | 2 gal    | 20"  | 48"  | Piston | 4 lbs  | 22" x 8.5" x 8.5"   | 0.89       | 100             |
| 430-3G  | 43300 5       | 3 gal    | 20"  | 48"  | Piston | 5 lbs  | 24" x 8.25" x 8.25" | 0.95       | 75              |

# **Handheld and Rollabout Sprayers**



# **450 Series Professional Sprayers**

Designed with the professional user in mind. This extremely heavy-duty sprayer will stand up to the toughest of jobs. Highperformance, efficient piston pumps pressurize the tanks with as much as 50% more efficiency than the competitor's.

- Chemical resistant Viton® seals in key locations withstand harsh chemicals for long service and durability.
- Now with large base for added stability. 458 model can accommodate the wheel set and pull handle (accessory kit,
- Pressure relief valve vents excess pressure.
- Commercial quality shut-off valve with lock-on/lock-off feature reduces operator fatigue.
- Large 4.5" tank opening for effortless filling and cleaning.
- Four-nozzle assortment: adjustable, flat fan, jet stream and hollow cone. TeeJet® compatible.

# **458-Rollabout Professional Sprayer**

Just roll the sprayer to your work area! Large tank is designed to make quick work of big jobs. Includes the features of the 450 series handheld sprayers plus:

- Heavy-duty wheels and pull handle allow for convenient movement while spraying.
- The wheels carry the weight and are designed to handle rough terrain.
- Extra long 72" hose makes it convenient to park the sprayer and go about remote spraying tasks.
- Built-in air inflation valve allows pressurizing sprayer using a compressor.

| Model #       | UPC # 720 343 | Capacity | Wand | Hose | Pump   | Weight  | Carton Size           | Cubic Feet | Pallet Quantity |
|---------------|---------------|----------|------|------|--------|---------|-----------------------|------------|-----------------|
| 454           | 45400 0       | 1.5 gal  | 20"  | 48"  | Piston | 5 lbs   | 22.5" x 9" x 9"       | 1.05       | 80              |
| 456           | 45600 4       | 2 gal    | 20"  | 48"  | Piston | 6 lbs   | 22.5" x 9" x 9"       | 1.05       | 80              |
| 458           | 458008        | 3 gal    | 20"  | 48"  | Piston | 7.9 lbs | 27" x 9.25" x 9"      | 1.3        | 60              |
| 458-Rollabout | 004588        | 3 gal    | 20"  | 72"  | Piston | 12 lbs  | 28.5" x 12.5" x 10.5" | 2.16       | 48              |

# **Battery-Powered Sprayers**

PROFESSIONAL SERIES

2010



Ideal for a variety of small, medium, and large spraying jobs at home and on the farm, including general spraying, weed control, and gardening. Achieve optimal spraying coverage minus tiresome pumping with lithium-ion battery sprayers. Suitable for use with all approved plant protection chemicals and liquid fertilizers.





# **EAZY 206 Battery-Powered Handheld Sprayer**

- Removable 11.1 V / 2.5 Ah lithium-ion battery. Up to 2.75 hour running time. 2-hour charging time.
- 1.6 gal translucent formula tank with a stable tank base.
- 37.5 psi pressure.
- Shoulder strap for user comfort.
- Extra long 6.5' coil hose makes it convenient to spray even when the sprayer is on the ground.
- 28" unbreakable wand and shut-off valve assembly provides excellent reach.

# NEW

# 1-liter transparent tank made of UV-resistant plastic.



- The flexible pick-up tube ensures a complete emptying of the tank and allows spraying at any angle. The universal nozzle is adjustable from fine mist to a jet stream.
- Ergonomic design with comfortable operating handle and smooth one-button operation.
- Integrated lithium-ion battery for up to 60 min. operation time.
- Easy charging at every USB-Port (charging cable included). Charging time approx. 90 min.



# 411 and 441 Battery-Powered Backpack Sprayers

- 11.1 V Lithium-ion battery. 2.5 hour running time. 2-hour charging
- 11V diaphragm pump, 37.5 PSI
- Large 4.75" opening. The large filter basket is easily removed.
- Integrated carry handle for easy transport and easy maneuvering.
- Stable tank base ensures that the sprayer will not tip over when filling.
- 28" unbreakable wand and shut-off valve assembly provides excellent
- Speed Tip Nozzle: multi-spray pattern. Sprays with 3 different settings with a turn of the dial: jet stream, flat spray and full cone mist.
- Durable shut-off valve with lock-on / lock-off feature reduces operator

| Model #  | UPC # 720 343 | Capacity | Wand | Hose      | Bat. / Engine | Power  | Weight   | Carton Size              | Cubic Feet | Pallet Quantity |
|----------|---------------|----------|------|-----------|---------------|--------|----------|--------------------------|------------|-----------------|
| 260      | 26000 7       | 1 L      | N/A  | N/A       | 3.7 V         | 1.4 Ah | 1lb      | 12.25" x 20.25" x 15.25" | 2.19       | 12*             |
| EAZY 206 | 20600 1       | 1.6 gal  | 20"  | 6.5' coil | 11.1 V        | 2.5 Ah | 4.85 lbs | 13.75" x 16.75" x 7.5"   | 1.0        | 72              |
| 411      | 411010        | 3 gal    | 20"  | 48"       | 11.1 V        | 2.5 Ah | 9.5 lbs  | 20.5" x 16" x 10"        | 1.9        | 48              |
| 441      | 42400 3       | 4 gal    | 20"  | 48"       | 11.1 V        | 2.5 Ah | 10 lbs   | 24" x 16" x 10"          | 2.23       | 44              |



Designed for a variety of spraying tasks, including enclosed spaces such as greenhouses and office buildings when extended spraying applications are required. Ideal for spraying pesticides, herbicides, and for general spraying. These battery-powered backpack sprayers are free of emissions and are whisper quiet.

# 417-Li Semi-Pro Sprayer

- Impressive spray performance with 11 V pump.
- 11.1 V / 7.2 Ah lithium-ion battery, fully charges in less than 3 hours
- 4.5 gal translucent formula tank.
- Pressure gauge allows easy monitoring of pressure level.
- Electronic two-step switch: low 36 psi, high 62 psi
- Equipped with a comfortable padded backpack support frame with wide padded shoulder straps.
- 20" unbreakable wand.

### 416-Li Professional Sprayer

- Impressive spray performance with 11 V pump.
- 11.1 V / 7.8 Ah lithium-ion battery, fully charges in 5.5 hours.
- 5 gal translucent formula tank.
- Pressure gauge allows easy monitoring of pressure level.
- Adjust pressure and output volume with two-step toggle switch: 36 psi and 62 psi.
- Deluxe shoulder straps and waist belt for user comfort
- 36" telescopic carbon fiber wand.

### **442 Professional Sprayer**

- Impressive spray performance with 18 V pump.
- Removable 18 V / 2 Ah lithium-ion battery, fully charges in 1.1 hour.
- 4 gal translucent formula tank.
- Adjust pressure and output volume between 15 psi, 30 psi, 45 psi and 60 psi with an electronic operating panel.
- Padded, adjustable carrying system with chest strap for user comfort.
- 20" unbreakable wand.

| Model # | UPC # 720 343 | Capacity | Wand      | Hose | Bat. / Engine | Power  | Weight   | Carton Size         | Cubic Feet | Pallet Quantity |
|---------|---------------|----------|-----------|------|---------------|--------|----------|---------------------|------------|-----------------|
| 417-Li  | 00417 5       | 4.5 gal  | 20"       | 60"  | 11.1 V        | 7.2 Ah | 17 lbs   | 25" x 17.5" x 11.5" | 2.9        | 30              |
| 416-Li  | 41601 5       | 5 gal    | 20" - 36" | 60"  | 11.1 V        | 7.8 Ah | 15.5 lbs | 12.75" x 29" x 17"  | 3.64       | 18              |
| 442     | 44200 7       | 4 gal    | 20"       | 50"  | 18 V          | 2.5 Ah | 10 lbs   | 24" x 16" x 10"     | 2.23       | 44              |

SOLO FARM & LANDSCAPE SERIES

# **Backpack Sprayers**

Rugged Solo backpack sprayers are designed for jobs both large and small.

Solo backpack sprayers are equipped with either a piston or diaphragm pump system.

### **Piston Pump System**

Sprayer models 425, 425-101, 425-PROF, 435 and 473-P, with connecting rod-actuated piston pumps, can produce a wide pressure range of up to 90 psi and are capable of performing virtually every spraying task. Easily and effectively handles liquid disinfectants, fertilizers, herbicides, pesticides and formulations for tree, shrub and plant protection.

# **Diaphragm Pump System**

Sprayer models 475-B, 475-101, 475-PROF, 485, and 473-D are capable of producing up to 60 psi, with rugged connecting-rod-actuated diaphragm pumps. Diaphragm is made of top quality Tivilon® material to provide outstanding resistance to harsh chemicals. Designed with the ability to pass small abrasive particles without damage to the pump assembly. The diaphragm pump is ideal for handling chemicals in wettable powder form, as well as liquid formulations.

# **Commercial Quality Interchangeable Nozzle System**





Large opening to facilitate filling, draining and cleaning. Filling strainer with large filter surface area.



Practically unbreakable, 20" plastic spray wand



Piston

# 425 (Piston), 475-B (Diaphragm)

- The 425 and 475-B models are the "flagship" sprayers of the Solo® line.
- Designed with professional features throughout.
- For liquid formulations (425); for wettable powder, liquid formulations and bleach solutions (475-B).
- 28" unbreakable wand and shut-off valve for excellent reach.
- Commercial shut-off valve with lock-on/ lock-off feature to minimize user fatigue.
- Viton® seals in key locations ensure long service and durability.
- Interchangeable pump handle for left or right-hand operation.
- 48" nylon-reinforced high-pressure hose for extended reach.

| Model # | UPC # 720 343 | Capacity | Wand | Hose | Pump      | Weight | Carton Size             | Cubic Feet | Pallet Quantity |
|---------|---------------|----------|------|------|-----------|--------|-------------------------|------------|-----------------|
| 425     | 42500 0       | 4 gal    | 20"  | 48"  | Piston    | 11 lbs | 20.25" x 14.75" x 9.25" | 1.6        | 60              |
| 475-B   | 47530 2       | 4 gal    | 20"  | 48"  | Diaphragm | 11 lbs | 20.25" x 14.75" x 9.25" | 1.6        | 60              |

**Backpack Sprayers** 



- pressure capabilities of up to 90 psi (425-101).
- High-performance diaphragm produces pressure of up to 60 psi (475-101).
- Extra large carrying handle with wand retainer for easy portability and storage.
- Fold-away handle with wand retainers for easy
- Deluxe shoulder straps and waist belt for user
- Four-nozzle assortment: brass adjustable nozzle, fan spray, hollow cone, and jet stream nozzles. TeeJet® compatible (425-101).
- Five-nozzle assortment: brass adjustable, plastic adjustable, fan spray, hollow cone, and jet stream nozzles. TeeJet® compatible (475-101).







Brass adjustable nozzle

**425-PROF** 

**475-PROF** 

# 425-PROF (Piston), 475-PROF (Diaphragm)

- High-performance piston pump for increased pressure capabilities of up to 90 psi with an optional plug # 4200215 (not included), (425-PROF).
- High-performance diaphragm produces pressure of up to 60 psi
- Adjustable pressure regulator with four positions: 15, 30, 45, 60 psi.
- Viton® seals throughout ensure long service and durability.
- Extra large carrying handle with wand retainer for easy portability and storage.
- Fold-away handle with wand retainers for easy storage.
- Deluxe shoulder saver harness for user comfort.
- 21" stainless steel wand.
- Four-nozzle assortment: brass adjustable, fan spray, hollow cone, and jet stream nozzles. TeeJet® compatible (425-PROF).
- Five-nozzle assortment: brass adjustable, plastic adjustable, fan spray, hollow cone, and jet stream nozzles. TeeJet® compatible (475-PROF).

|          | -             | -        |      | -    |           |        |                         |            |                 |
|----------|---------------|----------|------|------|-----------|--------|-------------------------|------------|-----------------|
| Model #  | UPC # 720 343 | Capacity | Wand | Hose | Pump      | Weight | Carton Size             | Cubic Feet | Pallet Quantity |
| 425-101  | 42526 0       | 4 gal    | 20"  | 48"  | Piston    | 11 lbs | 20.25" x 14.75" x 9.25" | 1.6        | 60              |
| 475-101  | 475203        | 4 gal    | 20"  | 48"  | Diaphragm | 11 lbs | 20.25" x 14.75" x 9.25" | 1.6        | 60              |
| 425-PROF | 00425 0       | 4 gal    | 21"  | 48"  | Piston    | 12 lbs | 20.25" x 14.75" x 9.25" | 1.6        | 60              |
| 475-PROF | 00475 5       | 4 gal    | 21"  | 48"  | Diaphragm | 12 lbs | 20.25" x 14.75" x 9.25" | 1.6        | 60              |
|          |               |          |      |      |           |        |                         |            |                 |

SOLO **PROFESSIONAL** SERIES

SOLO HOME & GARDEN SERIES

# **Backpack Sprayers**



# 473-P (Piston) 473-D (Diaphragm)

- Professional features in a compact package.
- Designed with professional features throughout.
- For liquid formulations (473-P); for wettable powder, liquid formulations and bleach solutions (473-D).



# 435 (Piston), 485 (Diaphragm)

# Designed for the largest of jobs.

- Professional features throughout.
- High-performance piston pump for increased pressure capabilities of up to 90 psi with an optional plug # 4200215 (not included), (435).
- High-performance diaphragm produces pressure of up to 60 psi (485).
- Adjustable pressure regulator with four positions: 15, 30, 45, 60 psi.
- Fold-away handle with wand retainers for easy storage and transport.
- Deluxe shoulder straps and waist belt for user comfort
- Less refilling with 5 gallon capacity.

# NOVA 424 (Internal Piston), 410 (Internal Piston)


Designed for demanding use around the home and on the farm. Suitable for application of all approved plant protection chemicals.

- Internal pump system incorporates an effective mixing system. While pumping, the liquid in the tank is constantly agitated.
- Large 4.75" tank opening. The large filter basket is easily removed.
- Integrated carry handle for comfortable transport and easy maneuvering.
- Stable tank base ensures that the sprayer will not tip over when filling.
  28" unbreakable wand and shut-off valve assembly provides excellent
- reach.
- Speed Tip Nozzle: multi-pattern spray. Sprays with 3 different settings with a turn of the dial: jet stream, flat spray and full cone mist.
- Durable shut-off valve with lock-on / lock-off feature reduces operator fatigue.

| Model #  | UPC # 720 343 | Capacity | Wand | Hose | Pump            | Weight   | Carton Size             | Cubic Feet | Pallet Quantity |
|----------|---------------|----------|------|------|-----------------|----------|-------------------------|------------|-----------------|
| 473-P    | 47320 9       | 3 gal    | 20"  | 48"  | Piston          | 11 lbs   | 20.25" x 14.75" x 9.25" | 1.57       | 60              |
| 473-D    | 473100        | 3 gal    | 20"  | 48"  | Diaphragm       | 11 lbs   | 20.25" x 14.75" x 9.25" | 1.57       | 60              |
| 435      | 43500 9       | 5 gal    | 20"  | 48"  | Piston          | 14 lbs   | 10.5" x 23" x 17"       | 2.38       | 36              |
| 485      | 48500 4       | 5 gal    | 20"  | 48"  | Diaphragm       | 14 lbs   | 10.5" x 23" x 17"       | 2.38       | 36              |
| 410      | 41001 3       | 3 gal    | 20"  | 48"  | Internal Piston | 11.5 lbs | 22" x 16" x 10"         | 2.02       | 48              |
| NOVA 424 | 004243        | 4 gal    | 20"  | 48"  | Internal Piston | 12.5 lbs | 24" x 16" x 10"         | 2.23       | 44              |







Honda GX25 4-stroke engines are highly fuel efficient and run on regular gasoline, so there is never a need to mix gas and oil. 4-stroke engines are quieter and yield superior torque in comparison to 2-stroke, coupled with the environmental benefit of lower emissions.

# 433 Motorized Backpack Sprayer

Can reach extremely high operating pressures and achieve fine mist application even at extreme distances.\*

- 5 gallon UV-resistant HDPE tank.
- Pressure gauge for monitoring pressure levels.
- Minimum spray pressure of 14.5 psi; maximum of 435 psi for a wide range of applications.
- Powerful Honda DX25 4-stroke engine delivers a minimum flow rate of 0.5 gal/min at 435 psi.
- Electronic ignition and anti-vibe system.
- Drain connector at the bottom of the tank enables liquids to be drained completely.
- Equipped with high quality dual flat fan jet nozzles and stainless steel nozzle screens.
- Heavy-duty shut-off valve with pressure gauge.

\* requires optional spray wand (part # 4900185)

| Model # | UPC # 720 343 | Bat. / Engine | Displacement | Power | Capacity | Weight   | Carton Size          | Cubic Feet |
|---------|---------------|---------------|--------------|-------|----------|----------|----------------------|------------|
| 433     | 43333 3       | 4-cycle       | 25 cc        | 1 hp  | 5.3 gal  | 20.5 lbs | 26" x 17.25" x 14.5" | 3.77       |

# SOLO PROFESSIONAL SERIES

# **Specialty Sprayers**

# 303-FA FKM / 303-FB EPDM / 309-FA FKM / 309-FB EPDM CLEANLine Foaming Sprayers

The use of foam for cleaning purposes is gaining popularity. Advantages are visibility and longer dwell time with less run-off even on vertical surfaces. In many cases, foam is used for surfaces that require a reduced moisture level. The SOLO CLEANLine features two types of foam applicators which are fitted with seals made from chemical resistant materials: FKM for acidic spray solutions in the models 303-FA / 309-FA and EPDM for alkaline solutions in the models 303-FB. The foam consistency and the moisture content can be easily adjusted with the patented "varioFOAM" adjustment system. This also protects the operator from any contact with the chemical.

### 303-FA FKM / 303-FB EPDM CLEANLine Foaming Sprayers

- FKM seal quality for acidic liquids / EPDM seal quality for alkaline liquids.
- Light, sturdy, translucent tank with easily visible fill volume graduation marks and larger filling opening.
- Smooth, sealed pump with large pump handle for quick and efficient pressurization to max. 45psi.
- Automatic pressure relief valve can be manually operated to release pressure.
- Special, adjustable flat spray nozzle with "varioFOAM" foaming function.
- Stable three-footed conical-shaped tank.

# 309-FA FKM /309-FB EPDM CLEANLine Foaming Sprayers

- FKM seal quality for acidic liquids / EPDM seal quality for alkaline liquids.
- Large base which can accommodate the wheel set and the handle (accessory kit).
- Large efficient piston pump attains desired operating pressure with fewer pump strokes.
- Large pump handle with integrated spray wand holder.
- Automatic pressure relief valve releases pressure at 45psi or can be manually operated.
- Flat spray nozzle with special adjustable "varioFOAM" foaming function.
- Heavy-duty HDPE tank is extremely durable yet light, with easily visible fill level markings.
- Ergonomically-shaped commercial shut-off valve and strong nylon-reinforced hose.

### 378 Concrete Sprayer

Designed specifically for use with curing compounds, form release agents and general spraying tasks. Can apply up to 35% solids. With its rugged polyethylene tank and unbreakable wand, the concrete sprayers provide outstanding performance, efficiency, and durability. Performs as efficiently as traditional steel sprayers at a fraction of the cost.

- All Viton® seals for durability and safety with a wide variety of chemicals.
- Large base for added stability which can accommodate the wheel set and handle (accessory kit, part # 49211).
- Built-in air inflation valve allows pressurizing the sprayer using a compressor or air source.
- Large pump pressurizes the sprayer as much as 50% faster than the competition.
- Automatic pressure relief valve releases pressure at 45 psi.
- Fitted with a 1 gpm, 110° flat fan nozzle for spraying higher solid content curing compounds.
- Includes jet stream, flat fan, hollow cone and plastic adjustable nozzles.

### **388 Acetone Sprayer**

Designed specifically for applying acetone-based formulations, most alcohols and ammonia.

- EPDM seals provide excellent protection against the effects of acetone.
- Large base for added stability which can accommodate the wheel set and handle (accessory kit, part # 49211).
- Extra long 72" acetone resistant hose provides extended reach and durability.
- Built-in air inflation valve allows pressurizing the sprayer using a compressor or air source.
- Large pump pressurizes the sprayer as much as 50% faster than the competition.
- Automatic pressure relief valve releases pressure at 45 psi.
- Heavy-duty 20" brass wand provides chemical resistance to acetone.
- Heavy-duty brass nozzles: .4 gpm cone, .2 gpm cone, and .5 gpm fan nozzles. Accepts Tee Jet® type nozzles.

| Model # | UPC # 720 343 | Capacity | Wand | Hose | Pump   | Weight  | Carton Size      | Cubic Feet | Pallet Quantity |
|---------|---------------|----------|------|------|--------|---------|------------------|------------|-----------------|
| 303-FA  | 30302 5       | 1.25 l   | N/A  | N/A  | Piston | 1.3 lbs | 12" x 6.5" x 6"  | 0.27       | 220             |
| 303-FB  | 30303 2       | 1.25 l   | N/A  | N/A  | Piston | 1.3 lbs | 12" x 6.5" x 6"  | 0.27       | 220             |
| 309-FA  | 030907        | 3 gal    | 20"  | 48"  | Piston | 6.7 lbs | 27" x 9.25" x 9" | 1.3        | 60              |
| 309-FB  | 30900 3       | 3 gal    | 20"  | 48"  | Piston | 6.7 lbs | 27" x 9.25" x 9" | 1.3        | 60              |
| 378     | 37800 9       | 3 gal    | 20"  | 48"  | Piston | 7.9 lbs | 27" x 9.25" x 9" | 1.3        | 60              |
| 388     | 388008        | 3 gal    | 20"  | 72"  | Piston | 7.9 lbs | 27" x 9.25" x 9" | 1.3        | 60              |

# **Backpack Mist Blower**



The new Solo 466-MASTER Mist Blower is ideal for applying plant protection chemicals, or for mosquito, pest and parasite control in storage areas, containers, or animal herds. It is particularly popular in vector control especially in subtropic and tropic regions due to the new ULV nozzle 49480 that produces very fine droplets, applying chemicals over large areas more efficiently than manual spraying.


- New powerful 66.5 cc Solo engine generate a fan air volume of max. 824 cfm for total plant penetration.
- Aluminum crankcase and high quality engine components for increased power output even under high temperature operating conditions.
- Increased engine performance converts to higher misting performance.
- Improved fuel efficiency and reduced emissions with modern engine technology and catalytic converter.
- Long reach wide angle nozzle.
- Large 0.37 gallon capacity fuel tank combined with low fuel consumption allow long operating periods.



ULV nozzle with metering device Part # 49 480



Twin nozzle Part # 49 00 137



- Single multi-function operating handle.
- Efficient air filtering system, easy to maintain.
- Ergonomically shaped and padded tank frame, comfortable, wide, padded shoulder straps and large, padded hip belt for superior operator's comfort.
- Best weight/performance ratio in its class.
- Compact size, light weight.
- Sturdy frame with integrated carrying handle and stand.
- 2-cycle engine requires 50:1 fuel mix ratio.



Extension wand Part # 49 00 333



Liquid booster pump Part # 44 00 117

| Model # | UPC # 720 343 | Bat. / Engine | Displacement | Power           | Capacity | Weight | Carton Size       | Cubic Feet |
|---------|---------------|---------------|--------------|-----------------|----------|--------|-------------------|------------|
| 466     | 00466 3       | 2-cycle       | 66.5 cc      | 2.1 kW / 2.9 hp | 3.7 gal  | 22 lbs | 30" x 20.5" x 14" | 5.0        |

SERIES

SOLO PROFESSIONAL

# **Backpack Air Blower**



Quickly and easily blow leaves, trash, and other debris in warehouses, stadiums, and other large areas. The new backpack Air Blower model 468 combines a very low weight and a high fan air volume with low consumption and emissions. Maximum performance, optimum reliability and improved environmental characteristics were key factors in the development of the SOLO blower.

- New powerful 66.5 cc engine generate a fan air volume of max. 824 cfm.
- Increased engine performance converts to higher air
- Improved fuel efficiency and reduced emissions with modern engine technology and catalytic converter.
- Aluminum crankcase and high quality engine components for increased power output even under high temperature operating conditions.
- Large 0.37 gallon capacity fuel tank combined with low fuel consumption allow long operating periods.
- Easy starting with primer bulb.

- Effective vibration dampening.
- Single multi-function operating handle.
- Efficient air filtering system, easy to maintain.
- Comfortable backpack frame with padded adjustable carrying straps.
- Best weight/performance ratio in its class.
- Compact size, light weight.
- 2-cycle engine requires 50:1 fuel mix ratio.

# **Portable Chest-Mount Spreader**















Designed for spreading a variety of granular material over irregular terrain, this chest-mount, extremely portable precision spreader is perfect for use in decorative beds with fertilizers and insecticides. Ideal for lawn maintenance, treating parking lot islands, as well as deer plotting. Eliminates banging over curbs with cumbersome wheeled units. The 421-S is also effective in spreading ice melt, oil absorbents and seeds.

- Fingertip levers control direction and volume.
- Comfortable cross-shoulder strap.
- Fully enclosed gearbox is corrosion resistant.
- Large opening allows easy filling and cleaning.
- 20-lb.-capacity hopper with a cap protects operator from chemicals and dust.



helical metal gears





Secure base and



| Model # | UPC # 720 343 | Bat. / Engine | Displacement | Power           | Fuel Tank Capacity | Weight | Carton Size           | Cubic Feet |
|---------|---------------|---------------|--------------|-----------------|--------------------|--------|-----------------------|------------|
| 468     | 46800 7       | 2-cycle       | 66.5 cc      | 2.1 kW / 2.9 hp | 0.37 gal           | 22 lbs | 12.75" x 24" x 19.75" | 3.50       |
|         |               |               |              |                 |                    |        |                       |            |

| Model # | UPC # 720 343 | Capacity | Wand | Hose | Pump | Weight | Carton Size          | Cubic Feet | Pallet Quantity |
|---------|---------------|----------|------|------|------|--------|----------------------|------------|-----------------|
| 421-S   | 42100 2       | 20 lbs   | N/A  | N/A  | N/A  | 7 lbs  | 19.6" x 10.25" x 11" | 1.28       | 64              |





201 Enterprise Drive Newport News, VA 23603 www.us.solo.global customer.support @solousa.com Phone: (757) 245-4228 Fax: (757) 245-0800 Order Desk Phone: (757) 245-5531

All means all models except 405-B, 405-N and 400-1G sprayers. Universal Wand Assemblies can be used on other brand sprayers.